## LANAI Patio Doors

1 12



# **Commercially Rated Vinyl**

www.intlwindow.com



#### Beauty, Durability and Performance

The architectural beauty of our Lanai vinyl doors provide endless opportunities to enhance and compliment the design of your home. Select hinged or sliding patio doors all designed for performance, durability and security.

#### Frame Finishes

These two stock finishes are standard to keep lead times at a minimum. Contact your sales representative for custom colors.

Desert Sand Virgin Vinyl White Virgin Vinyl

Colors shown are approximate due to printing limitations.



#### Out Swing Hinged Doors


Energy efficient and secure with standard 3/4" dual Low E glazing, continuous welded frame with aluminum reinforced subframe and three frame options.





### Out Swing Hinged Door Operating Styles

#### Single, French and Doors with Equal Sidelites



- 1" Nail On, Flush Fin or Block Frame options all in 5-1/2" width
- ADA compliant doors with 10" bottom rail and low profile threshold available
- Operable sidelights with casement operators and standard multi point locking hardware available
- Four way adjustable hinges, multi point hardware and 24" locking flush bolts on inactive panels standard

## LANAI 5100 Series In Swing Vinyl Doors



#### In Swing Hinged Doors

Energy efficient and secure with standard 3/4" dual Low E glazing, continuous welded frame with aluminum reinforced subframe and three frame options.



- Four way adjustable hinges, multi point hardware and 24" locking flush bolts on inactive panels standard.
- ADA compliant doors with 1/2" low profile threshold and 10" bottom rail and operable sidelights with casement operators available.



### In Swing Hinged Door Operating Styles

#### Single, French and Doors with Equal Sidelites




## LANAI 5600 Series Sliding Vinyl Doors




#### 5600 Sliding Doors

Heavy duty tandem rollers, multi-point locking and deluxe welded frame ensure durability and security.





### 5600 Sliding Door Configurations



Series Number	Standard Glass Thickness	Frame Width	Frame Type
5620	3/4" Dual Low E Glazing	5-1/2″	Nail On Frame with 1-3/8" Set Back
5660	3/4" Dual Low E Glazing	5-1/2″	Flush Fin Adaptor
5680	3/4" Dual Low E Glazing	5-1/2″	Block Frame

- Energy efficient, durable and secure
- Heavy duty tandem rollers
- Multi-point locking system
- Continuous welded frame
- Aluminum reinforced subframe
- Attractive "C" handle



#### **Decorative Glass Options**

Light and privacy with textured and tinted glass. Some of our popular choices:



#### Additional Glass Options

**LAMINATED GLASS:** Two pieces of glass with an inner layer of transparent plastic for safety and sound reduction.

**TEMPERED GLASS:** Strong, break-resistant safety glass. Breaks into small pieces when shattered.

**ARGON GAS:** An inert, non-toxic gas used in insulating glass units to reduce heat transfer.


**ENERGY SHIELD XTREME GLASS:** Blocks more heat and ultraviolet light.

**ILE GLASS:** A hard coat of Low E on the 4th surface.




### **Grid Options**

Select sculptured or flat grid designs in a variety of patterns for custom looks.




#### **Typical Grid Patterns**

Some of the more common patterns shown. Custom patterns available.





### Frame Mounting Options





#### Lifetime Warranty\*

International Window Company (IWC) warrants its window and door products to be free from defects in material or workmanship that significantly impair their proper operation for the lifetime of your home for as long as you own it.

#### Coverage:

The lifetime coverage of this warranty applies to original owners of single-family homes and owners of single-family homes who purchase IWC products for remodeling or replacement. Proof of purchase and of continuous ownership will be required.

- \* For commercial buildings, multi-family dwellings, apartments and other types of buildings, the warranty period shall be ten (10) years following the date of purchase.
- \* For Jalousie products, the warranty period shall be ten (10) years following the date of purchase.

#### Limitations:

This warranty is limited, may not be assigned or transferred and does not include component failure due to improper installation, application or use, abuse, abnormal stresses due to vibration, heat and settlement, or acts of God. IWC is not liable for natural weathering of exterior finishes or for corrosion in highly corrosive environments. All glass warranties are void if any sun control film is applied to the glass surface. Insulating unit seal failure resulting from glass breakage is also not covered.

#### Remedy:

IWC will, at its sole discretion, repair or replace free of charge, including parts and labor, any window or door proven to be defective in material or workmanship during the applicable warranty period. If IWC is unable to provide replacement, or if repair is not commercially practical, IWC will refund the original purchase price.

#### Claims:

To claim service under this warranty, the homeowner shall provide written notification of the defect along with dated proof of purchase and proof of original home ownership to your nearest IWC facility or authorized IWC dealer. IWC reserves the right to conduct an on-site inspection of defective products in place and as originally installed.

#### Other Conditions:

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER ORAL OR WRITTEN WARRANTIES, LIABILITIES OR OBLIGATIONS. IN NO EVENT SHALL IWC BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OF ANY KIND, INCLUDING ANY DAMAGE TO THE BUILDING, ITS CONTENTS OR ANY PERSON THEREIN, RESULTING FROM THE BREACH OF ANY WARRANTY SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON OR THE EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE EXCLUSIONS MAY NOT APPLY TO YOU!

This limited warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

This warranty applies to products sold after July 1, 2011.

International Window Company • www.intlwindow.com Northern CA 800-624-0990 • Southern CA 800-477-4032





Please contact us at: Southern CA Phone: 800-477-4032 Northern CA Phone: 800-624-0990 Email: info@intlwindow.com Website: www.intlwindow.com