



EL & EL Wood Products
SIMPSON® IN-STOCK WOOD DOORS



Millwork that creates distinction.™

Craftsman Collection

Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8" with 3/4" FP, sidelights 1'2" x 6'8 1/2", unless otherwise noted
Doors come with UltraBlock® technology – 5-year warranty



6811 N S
3/4" Clear IG



6951 | Four Square® N S
3/4" Black IG



6831 | Holbrook™ N S
3/4" Silver IG



6851 | Solano® N S
3/4" Black IG



6801 N S
3/4" Clear IG



6961 | Four Square® II N S
3/4" Black IG



6821 | Holbrook™ II N S
3/4" Silver IG



6841 | Solano® II N S
3/4" Black IG



6861 N S
3/4" Clear IG



6971 | Four Square® III N S
3/4" Black IG



6871 | Holbrook™ III N S
3/4" Silver IG



6881 | Solano® III N S
3/4" Black IG



36812 N S
3/4" Clear IG



36832 | Cortez™ N S
3/4" Silver IG



36852 | Avondale® N S
3/4" Black IG



36802 N S
3/4" Clear IG



36822 | Cortez™ II N S
3/4" Silver IG



36842 | Avondale® II N S
3/4" Black IG

Craftsman Collection (continued)



36862 N S
3/4\" Clear IG



36872 | Cortez™ III N S
3/4\" Silver IG



36882 | Avondale™ III N S
3/4\" Black IG



36813 N S
3/4\" Clear IG



36833 | Torrance™ N S
3/4\" Silver IG



36853 | Valencia™ N S
3/4\" Black IG



36803 N S
3/4\" Clear IG



36823 | Torrance™ II N S
3/4\" Silver IG



36843 | Valencia™ II N S
3/4\" Black IG



36863 N S
3/4\" Clear IG



36873 | Torrance™ III N S
3/4\" Silver IG



36883 | Valencia™ III N S
3/4\" Black IG



6801 | w/ Angled Mutt N S
3/4\" Clear IG



**6961 | Four Square™ II
w/ Angled Mutt** N S
3/4\" Black IG



**6821 | Holbrook™ II
w/ Angled Mutt** N S
3/4\" Silver IG



**6841 | Solano™ II
w/ Angled Mutt** N S
3/4\" Black IG



36802 | w/ Angled Mutt N S
3/4\" Clear IG



**36822 | Cortez™ II
w/ Angled Mutt** N S
3/4\" Silver IG

IG = Insulated Glazing
SG = Single Glazing
RP = Double Hip-Raised Panel
FP = Flat Panel



EL & EL Wood Products
ELandELWoodProducts.com

Craftsman Collection (continued)



**36842 | Avondale™ II
w/ Angled Mutt** N S
3/4" Black IG



36803 | w/ Angled Mutt N S
3/4" Clear IG



**36823 | Torrance™ II
w/ Angled Mutt** N S
3/4" Silver IG



**36843 | Valencia™ II
w/ Angled Mutt** N S
3/4" Black IG



**6801 |
w/ Arched Rail** O
3/4" Clear IG



**6861 | Four Square™ II
w/ Arched Rail** O
3/4" Clear IG



**6821 | Holbrook™ II
w/ Arched Rail** O
3/4" Silver IG



**6841 | Solano™ II
w/ Arched Rail** O
3/4" Black IG



**36802 |
w/ Arched Rail** O
3/4" Clear IG



**36822 | Cortez™ II
w/ Arched Rail** O
3/4" Silver IG



**36842 | Avondale™ II
w/ Arched Rail** O
3/4" Black IG



**36803 |
w/ Arched Rail** O
3/4" Clear IG



9540 | Dentil Shelf N S



9541 | Dentil Shelf N S



9510 | Sidelight Dentil Shelf N S



**36823 | Torrance™ II
w/ Arched Rail** O
3/4" Silver IG



**36843 | Valencia™
w/ Arched Rail** O
3/4" Black IG



6175 N S
3/4" Clear IG



7701 N S
3/4" Clear IG
Available widths
1'0", 1'2", 1'6"



6174 N S
3/4" Black IG



6171 N S
3/4" Black IG



6173 N S
3/4" Silver IG



6172 N S
3/4" Silver IG



6179 N S
3/4" Black IG



6176 N S
3/4" Black IG

Mastermark® Collection

Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8" with 1-7/16" Innerbond® RP, sidelights 1'2" x 6'8½", unless otherwise noted
Doors come with UltraBlock® technology – 5-year warranty



6422 | Terrace Ridge® N S
3/4" Black IG



6423 N S
3/4" Black IG



6490 | Santa Fe I N S
3/4" Wrought Iron IG



6493 N S
3/4" Wrought Iron IG



4608 | Queen Anne® N S
3/4" Black IG



4609 N S
3/4" Black IG



4302 | Empress® Alexandra N
1-1/4" Innerbond® RP, 3/4" Black IG



4322 N
3/4" Black IG

Bungalow Series®

Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8", sidelights 1'2" x 6'8½", unless otherwise noted
Doors come with UltraBlock® technology – 5-year warranty



4041 | Tudor II N S
1-1/4" Innerbond® RP with operable speaking port



7598 | Bellaire® N S
3/4" Beveled IG



7599 N S
3/4" Beveled IG



7218 N S
3/4" IG



7228 N S
3/4" IG



7244 S
3/4" IG



7219 N S
3/4" IG

Builder's Advantage®

Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8" with 3/4" FP, sidelights 1'2" x 6'8½", unless otherwise noted
Doors come with UltraBlock® technology – 5-year warranty



6356 | Greenwich® N S
3/4" Black IG



6316 | Scarborough® N S
3/4" Black IG



6326 | Plymouth® N
3/4" Black IG



6366 | Portsmouth® N S
3/4" Black IG



6347 N S
3/4" Black IG

IG = Insulated Glazing
SG = Single Glazing
RP = Double Hip-Raised Panel
FP = Flat Panel



EL & EL Wood Products
ELandELWoodProducts.com

Exterior French & Sash Doors

Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8", sidelights 1'2" x 6'8½", unless otherwise noted



7044 N S

1-7/16" Innerbond® RP, 3/4" IG,
Available widths: 2'6", 2'8", 3'0"



7702 N S

1-7/16" Innerbond® RP,
3/4" IG



7944 N S

1-7/16" Innerbond® RP, 3/4" IG,
Available widths: 2'6", 2'8", 3'0"



7703 N

1-7/16" Innerbond® RP, 3/4" IG



7044 | Dutch N S

1-7/16" Innerbond® RP, 3/4" IG,
Available widths: 2'6", 2'8", 3'0"



7944 | Dutch N S

1-7/16" Innerbond® RP, 3/4" IG,
Available widths: 2'6", 2'8", 3'0"



7031 | Dutch N S

1-7/16" Innerbond® RP, 3/4" IG,
Available widths: 2'6", 2'8", 3'0"



7444 | Dutch S

1-7/16" Innerbond® RP, 3/4" IG,
Available widths: 2'6", 2'8", 3'0"



7035 | Dutch S

1-7/16" Innerbond® RP, 3/4" IG,
Available widths: 2'6", 2'8", 3'0"



7662 N S

1-7/16" Innerbond® RP, 3/4" IG



7663 N S

1-7/16" Innerbond® RP, 3/4" IG



7662 | Shaker N S

3/4" FP, 3/4" IG



7663 | Shaker S

3/4" FP, 3/4" IG



7860 N S

1-7/16" Innerbond® RP, 3/4" IG



7260 N S

1-7/16" Innerbond® RP, 3/4" IG



144 S

3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"



644 S

3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"



944 S

3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"



2035 S

3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"



1662 S

3/4" RP, 1/8" SG



1664 S

3/4" RP, 1/8" SG



2182 S

1/8" SG with Combo Screen, Available widths: 2'6", 2'8", 3'0"



2184 N S

1/8" SG with Combo Screen, Available widths: 2'6", 2'8", 3'0"



1-3/8" Door in: S

2'6" & 2'8"

Exterior French & Sash Doors (continued)



1501

S

1701

S

1/8" SG and Open, Available widths: 2'0"-3'0"

1/8" SG, Available widths: 1'0", 1'2", 1'6"



7002

N S

3/4" IG with UltraBlock® Technology, Available widths: 2'6", 2'8", 3'0"



7002

N S

7701

N S

3/4" IG with Low-E and UltraBlock® Technology, Available widths: 2'0"-3'0"

3/4" IG, Available widths: 1'0", 1'2", 1'6"



7037

N S

3/4" IG Available heights: 6'8", 7'0"



1501|8'0"

S

1701|8'0"

S

1/8" SG and Open, Available widths: 2'0"-3'0"

1/8" SG



7002|8'0"

N S

7701|8'0"

N S

3/4" IG, Available widths: 2'6", 2'8", 3'0"

3/4" IG



7109

N

7709

N

3/4" IG with Low-E, Available widths: 2'6", 2'8", 3'0"

3/4" IG with Low-E

3/4" IG

3/4" IG



1510

S

1705

S

1/8" SG, Available widths: 2'0"-3'0"

1/8" SG, Available widths: 1'0", 1'2", 1'6"



7105

N S

3/4" IG, Available widths: 2'6", 3'0"



7010

N S

3/4" IG with UltraBlock® Technology, Available widths: 2'0", 2'6", 2'8", 3'0"



7015

S

7705

N S

3/4" IG with UltraBlock® Technology, Available widths: 2'6", 2'8", 3'0"

3/4" IG, Available widths: 1'2", 1'6"

IG = Insulated Glazing

SG = Single Glazing

RP = Double Hip-Raised Panel


FP = Flat Panel



EL & EL Wood Products

ELandELWoodProducts.com


Exterior French & Sash Doors With WaterBarrier® and UltraBlock® Technologies – 5-year warranty, no building overhang required.



7002WB

N S

WaterBarrier® Technology,
3/4" IG with Low-E, Available
widths: 2'0"-3'0"




37010WB

N S

WaterBarrier® Technology,
3/4" IG with Low-E, Available widths:
2'6", 2'8", 3'0"

WaterBarrier® Technology (Patent Pending)

PVC glazing bead and SDL bars
on exterior side
Primed Medium Density
Overlay for flat surfaces
Wood bars on
interior side



Weather Seal™ Process

Entire stile-and-rail joints coated and bonded to
decrease the possibility of water infiltration

UltraBlock® Technology

Composite block material finger-jointed
into the bottom of the stiles

Traditional Collection Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8", unless otherwise noted



7130

N S

1-7/16" Innerbond® RP
2130
3/4" RP Available widths:
2'6", 2'8", 3'0"



7132

N S

1-7/16" Innerbond® RP, 3/4" IG



2134

N S

3/4" RP and 1-1/4" Innerbond®
RP available, 1/8" SG



37120

N S

1-7/16" Innerbond® RP, 3/4" IG,
Available widths: 2'6", 2'8", 3'0"



7134

N S

1-7/16" Innerbond® RP, 3/4" IG



2010

S

3/4" RP and 1-1/4" Innerbond®
RP



2044

N S

1-1/4" Innerbond® RP
S
3/4" RP



7081

N S

3/4" FP, 3/4" IG
Available widths: 2'6", 2'8", 3'0"

Simpson®
Door Company

N In stock at the Northern California Galt Facility

S In stock at the Southern California Chino Facility

O Special Order

Exterior Contemporary Collection

Fir Select, Sapele Mahogany, Walnut, Quarter Sawn White Oak, doors 3'0" x 6'8", sidelights 1'2" x 6'8½", unless otherwise noted



4972 | 6'8" & 8'0" N S
1-3/4"
Available widths: 2'6", 3'0", 3'6"
4973 | 6'8" & 8'0" N S
3/4" IG
Available widths: 1'0", 1'2"



4974 | 6'8" & 8'0" N S
Shaker
1-3/4", 3/4" IG
Available widths: 2'6", 3'0", 3'6"



4976 | 6'8" & 8'0" N S
1-3/4", 3/4" IG
Available widths: 2'6", 3'0", 3'6"
4973 | 6'8" & 8'0" N S
3/4" IG
Available widths: 1'0", 1'2"



7403 | 6'8" & 8'0" N S
Shaker
1-3/4", 3/4" IG
Available widths: 2'6", 3'0", 3'6"
7813 | 6'8" & 8'0" N S
Shaker
3/4" IG
Available widths: 1'0", 1'2"



7405 | 6'8" N S
Shaker
1-3/4", 3/4" IG
Available widths: 2'6", 3'0", 3'6"
7815 | 6'8" N S
Shaker
3/4" IG
Available widths: 1'0", 1'2"



7406 | 8'0" N S
Shaker
1-3/4", 3/4" IG
Available widths: 2'6", 3'0", 3'6"
7816 | 8'0" N S
Shaker
3/4" IG
Available widths: 1'0", 1'2"



Fir Select **Walnut** **Sapele Mahogany** **Quarter Sawn White Oak**

Interior Contemporary Collection


Fir Select, Mahogany, Walnut, White Oak, doors 3'0" x 6'8", unless otherwise noted



1603C N S
1-3/8" Clear
Available widths: 2'0", 2'4", 2'6", 2'8", 3'0"



1603WL N S
1-3/8" White Lami
Available widths: 2'0", 2'4", 2'6", 2'8", 3'0"



1605C N S
1-3/8" Clear
Available widths: 2'0", 2'4", 2'6", 2'8", 3'0"



1605WL N S
1-3/8" White Lami
Available widths: 2'0", 2'4", 2'6", 2'8", 3'0"

IG = Insulated Glazing
SG = Single Glazing
RP = Double Hip-Raised Panel
FP = Flat Panel



EL & EL Wood Products
ELandELWoodProducts.com

Fir 20-Minute Fire-Rated Doors

Douglas Fir, 1-3/4" thick, 6'8" height unless otherwise noted



9244 N S
1-7/16" RP,
Available widths: 2'8", 3'0"



9255 N S
1-7/16" RP,
Available widths: 2'8", 3'0"



9266 N S
1-7/16" RP,
Available widths: 2'6", 2'8", 3'0"



9265 N S
1-7/16" RP,
Available widths: 2'8", 3'0"



9282 N S
1-7/16" RP,
Available widths: 2'8", 3'0"

Fir Interior Raised Panel Doors

Douglas Fir, 1-3/8" thick, 6'8" height unless otherwise noted



44 N S
3/4" RP, Available widths: 1'6", 1'8", 1'10", 2'0", 2'2" 2'4", 2'6", 2'8", 3'0"



55 N S
3/4" RP, Available widths: 1'6", 2'0" - 3'0"



66 N S
3/4" RP, Available widths: 1'6", 1'8", 1'10", 2'0", 2'2" 2'4", 2'6", 2'8", 3'0"



465 N S
3/4" RP, Available widths: 2'0" - 3'0"



82 N S
3/4" RP, Available widths: 1'6", 1'8", 1'10", 2'0", 2'4", 2'6", 2'8", 3'0"



43 | Bifold N S
3/4" RP,
Available widths: 2'0", 2'6", 3'0"



63 | Bifold N S
3/4" RP,
Available widths: 2'0", 2'6", 3'0"

Fir Interior Flat Panel Doors

Douglas Fir, 1-3/8" thick, 6'8" height unless otherwise noted



20 N S
3/8" FP, Available widths: 1'6", 1'8", 2'0", 2'2", 2'4", 2'6", 2'8", 2'10" x 6'8"



82 N S
3/8" FP, Available widths: 1'6", 1'8", 2'0", 2'2", 2'4", 2'6", 2'8", 2'10" x 6'8"



30 N S
3/8" FP, Available widths: 1'6", 1'8", 2'0", 2'2", 2'4", 2'6", 2'8", 2'10" x 6'8"



21 | Bifold N S
3/8" FP,
Available widths: 2'0", 2'6", 3'0"



43 | Bifold N S
3/8" FP,
Available widths: 2'0", 2'6", 3'0"



33 | Bifold N S
3/8" FP,
Available widths: 2'0", 2'6", 3'0"

Fir Interior French Panel Doors

Douglas Fir, 1-3/8" thick, 6'8" height unless otherwise noted



1501 | Ovolo

1/8" SG, Available widths:
2'0" - 3'0"

N S



1501 (Open) | Ovolo

Available widths: 2'0" - 3'0"

N S



1501 | Ovolo

1/8" Satin Etch SG,
Available widths: 2'0" - 3'0"

N



1501 | Ovolo

1/4" white laminate glass
Available widths: 2'0" - 3'0"

S



1501 | Shaker

1/8" SG, Available widths:
2'0" - 3'0"

N S



1501 | Shaker

1/4" white laminate glass
Available widths: 2'0" - 3'0"

S



1501 | 8'0" | Ovolo

1/8" SG, Available widths:
2'6", 3'0"

N S

Redi-Prime® Interior

Primed, 1-3/8" thick, 6'8" height
unless otherwise noted



1509 ~ 1309

1/8" SG, Available widths:
2'0" - 3'0"

N S



1510 ~ 1310

1/8" SG, Available widths:
2'0" - 3'0"

N S



1590 | Pantry

1/8" SG, Available widths: 2'0",
2'4", 2'6"

N S



1592 | Wheat

1/8" SG, Available widths: 2'0",
2'4", 2'6"

N S



8001

1/8" SG, Available widths:
2'0" - 3'0"


N S



8001 | 8'0"

1/8" SG, Available widths:
2'0" - 3'0"


N S



8010

1/8" SG, Available widths:
2'0" - 3'0"

N S



8012 | 8'0"

1/8" SG, Available widths:
2'0" - 3'0"

N S



8490 | Pantry

1/8" SG, Available widths: 2'0",
2'4", 2'6"

N S



8490 | 8'0" Pantry

1/8" SG, Available widths: 2'0",
2'4", 2'6"

N S



8492 | Wheat

1/8" SG, Available widths: 2'0",
2'4", 2'6"

N S



8492 | 8'0" Wheat

1/8" SG, Available widths: 2'0",
2'4", 2'6"

N S

IG = Insulated Glazing
SG = Single Glazing
RP = Double Hip-Raised Panel
FP = Flat Panel



EL & EL Wood Products
ELandELWoodProducts.com

also available

thousands of products to complement your Simpson door selection

Ultralight MDF Mouldings

Domestic MDF Mouldings

Solid, FJ & Primed FJ Pine Mouldings

Redwood & VG Fir Mouldings

White River™ Embossed &
High Relief Architectural Mouldings

White River™ Flexible Moulding

Hardwood Mouldings

Valuflex™ Flexible Moulding

HB&G™ Columns & Porch Systems

Fypon® Southwest Collection

Bodyguard® Protected Primed FJ Mouldings

Bodyguard® Protected Exterior Trimboard & Siding

MiraTEC® Treated Exterior Composite Trimboard

Accessories

Majestic Mantels™ Pre-built Shelves, Surrounds &
Pilaster Kits

Pocket Door Frames

Closet Material

Interior & Exterior Door Frames

